



vesi LED IP 55 linear per il bagno

aëon
L.E.D.™

by

 aëon[®]
illumination




vesi LED IP55 linear pendant

aëon
L.E.D.™

by

 aëon[®]
illumination




Lengths Available:

- Vesi 1136 (Approx. 20 Watt) : 1136 mm
- Vesi 1417 (Approx. 25.5 Watt) : 1417 mm
- Vesi 1698 (Approx. 30.5 Watt) : 1698 mm
- Vesi 1979 (Approx. 35.5 Watt) : 1979 mm

4000k colour temperature
IP55
 18W/m 1617Lm/m
IES files available upon request.
Other lengths available upon request.
Note: Longest IP rated length is 3.4m.
For longer lengths, seamless brackets can be used to connect sections onsite, however the Vesi light fitting will not be IP rated and only available for interior use. Please see Aria light for same profile, non-IP version.



Standard Finishes




White Black Natural Silver

Custom Premium Finishes



Natural Curly Birch Timber-Look Powder Coat
 Natural Spotted Gum Timber-Look Powder Coat
 Natural Blackbutt Timber-Look Powder Coat

Details & Features



4-6 Weeks Lead Time Customisation Options Available LED Light Source Light Source Included DALI, DSI or SwitchDIM Dimmable on Request IP55 Made in Australia

Useful Links



Available for Export Specification Schedule Template Product Webpage



vesi LED IP55 linear pendant

LED Linear Modules
(Wattage and output determined by length specified)

All dimensions are in millimetres

The Vesí LED IP55 linear lighting solution are the latest in LED lighting technology which provide high CRI with excellent longevity. Available in White, Black and Natural Silver finishes, this fitting can also be DALI, DSI or SwitchDIM controllable upon request. IP44 rated for use in wet areas. IES files are also available and this fitting is Zhaga compliant.